





**LISTE DE PRIX BMI CANADA RACCORDS  
DE CUIVRE ACR - RÉFRIGÉRATION**

**ACR  
25-1**

12 mars 2025



MANCHONS OUVRÉS C x C (O.D.)			
# BMI	Taille O.D.	Emballage	\$
37001	1/4	25/5000	10.35
37002	3/8	25/2000	8.88
37003	1/2	25/1200	12.48
37004	5/8	25/800	11.87
37013	3/4	25/400	27.75
37005	7/8	25/300	25.71
37006	1 1/8	10/150	57.53
37007	1 3/8	1/80	67.35
37008	1 5/8	1/60	107.75
37009	2 1/8	1/40	207.41
37010	2 5/8	1/14	317.43
37011	3 1/8	1/12	509.40
37012	4 1/8	1/5	1 035.59
37017	6 1/8	1/3	4 946.12



MANCHONS OUVRÉS RÉDUITS C x C (O.D.)			
# BMI	Taille O.D.	Emballage	\$
37015	3/8 x 1/4	25/2000	67.94
37016	1/2 x 3/8	25/400	65.72
37021	5/8 x 1/4	25/1000	41.04
37020	5/8 x 3/8	25/800	28.59
37019	5/8 x 1/2	25/800	28.59
37022	3/4 x 1/2	25/600	73.29
37018	3/4 x 5/8	25/500	70.36
37025	7/8 x 3/8	25/400	80.31
37024	7/8 x 1/2	25/400	86.05
37023	7/8 x 5/8	25/350	29.25
37062	7/8 x 3/4	25/350	35.75
37028	1 1/8 x 5/8	10/200	80.33
37063	1 1/8 x 3/4	10/200	160.68
37027	1 1/8 x 7/8	10/160	57.02
37033	1 3/8 x 5/8	1/100	170.11
37032	1 3/8 x 7/8	1/100	129.25
37031	1 3/8 x 1 1/8	1/100	95.42
37038	1 5/8 x 5/8	1/100	232.41
37037	1 5/8 x 7/8	1/100	176.54
37036	1 5/8 x 1 1/8	1/100	205.64
37035	1 5/8 x 1 3/8	1/70	141.53
37044	2 1/8 x 5/8	1/30	298.09
37043	2 1/8 x 7/8	1/50	277.60
37042	2 1/8 x 1 1/8	1/50	270.91
37041	2 1/8 x 1 3/8	1/50	219.21
37040	2 1/8 x 1 5/8	1/50	219.21
37049	2 5/8 x 1 1/8	1/30	509.55
37047	2 5/8 x 1 5/8	1/30	485.23
37046	2 5/8 x 2 1/8	1/30	485.23
37053	3 1/8 x 1 5/8	1/20	606.33
37052	3 1/8 x 2 1/8	1/20	606.33
37051	3 1/8 x 2 5/8	1/15	606.33
37058	4 1/8 x 2 1/8	1/6	1 496.94
37057	4 1/8 x 2 5/8	1/6	1 496.94
37056	4 1/8 x 3 1/8	1/18	1 496.94
37066	6 1/8 X 3 1/8	1/3	5 845.46
37065	6 1/8 X 4 1/8	1/1	8 611.53




MANCHONS OUVRÉS SANS ARRET C x C (O.D.)			
# BMI	Taille O.D.	Emballage	\$
37074	5/8	25/800	13.69
37075	7/8	25/300	31.34
37076	1 1/8	10/150	61.48
37077	1 3/8	1/100	85.73
37078	1 5/8	1/60	128.12
37079	2 1/8	1/40	227.51
37080	2 5/8	1/50	359.12




MANCHONS OUVRÉS AVEC ARRET C x C (O.D.)			
# BMI	Taille O.D.	Emballage	\$
37091	1/4	25/5000	16.16
37082	3/8	25/2000	16.53
37083	1/2	25/1200	13.98
37084	5/8	25/800	13.98
37093	3/4	25/400	26.44
37085	7/8	25/300	31.34
37086	1 1/8	10/150	62.04
37087	1 3/8	1/100	85.71
37088	1 5/8	1/60	129.11
37089	2 1/8	1/40	234.11

\*\* O.D. : Diamètre extérieur

## RACCORDS DE CUIVRE ACR - RÉFRIGÉRATION




<b>RÉDUCTEURS OUVRÉS RAC. x C (O.D.)</b>			
# BMI	Taille O.D.	Emballage	\$
37116	1/2 x 3/8	25/1200	40.91
37120	5/8 x 3/8	25/1000	24.11
37119	5/8 x 1/2	25/1000	24.11
37123	7/8 x 5/8	25/400	29.12
37162	7/8 x 3/4	25/400	50.57
37128	1 1/8 x 5/8	10/200	76.10
37163	1 1/8 x 3/4	10/170	158.64
37127	1 1/8 x 7/8	10/160	53.74
37133	1 3/8 x 5/8	1/100	158.64
37132	1 3/8 x 7/8	1/100	123.38
37131	1 3/8 x 1 1/8	1/100	99.50
37138	1 5/8 x 5/8	1/100	200.72
37137	1 5/8 x 7/8	1/100	162.02
37136	1 5/8 x 1 1/8	1/100	162.02
37135	1 5/8 x 1 3/8	1/70	132.17
37144	2 1/8 x 5/8	1/50	267.46
37143	2 1/8 x 7/8	1/50	278.39
37142	2 1/8 x 1 1/8	1/50	249.26
37141	2 1/8 x 1 3/8	1/50	228.59
37140	2 1/8 x 1 5/8	1/50	228.59
37149	2 5/8 x 1 1/8	1/30	455.27
37148	2 5/8 x 1 3/8	1/30	455.27
37147	2 5/8 x 1 5/8	1/30	455.27
37146	2 5/8 x 2 1/8	1/30	455.27
37154	3 1/8 x 1 3/8	1/20	667.60
37153	3 1/8 x 1 5/8	1/20	605.98
37152	3 1/8 x 2 1/8	1/20	590.58
37151	3 1/8 x 2 5/8	1/15	590.58
37158	4 1/8 x 2 1/8	1/20	1 269.67
37157	4 1/8 x 2 5/8	1/6	1 380.07
37156	4 1/8 x 3 1/8	1/6	1 269.67
37166	6 1/8 x 3 1/8	1/4	12 813.76




<b>COUDES OUVRÉS 45° Cx C (O.D.)</b>			
# BMI	Taille O.D.	Emballage	\$
37201	1/4	25/2000	151.87
37202	3/8	25/1200	86.51
37203	1/2	25/800	85.92
37204	5/8	25/500	24.79
37213	3/4	25/300	111.55
37205	7/8	25/200	43.26
37206	1 1/8	10/100	94.12
37207	1 3/8	1/60	133.14
37208	1 5/8	1/40	190.98
37209	2 1/8	1/18	312.49
37210	2 5/8	1/20	793.76
37211	3 1/8	1/12	1 156.06
37212	4 1/8	1/3	2 327.88
37214	6 1/8	1/1	11 053.04


\*\* O.D. : Diamètre extérieur



<b>COUDES OUVRÉS 45° RACCORD x C (O.D.)</b>			
# BMI	Taille O.D.	Emballage	\$
37252	3/8	25/1200	109.07
37254	5/8	25/500	25.21
37282	3/4	25/300	202.37
37255	7/8	25/200	44.45
37256	1 1/8	10/100	129.97
37257	1 3/8	1/60	170.63
37258	1 5/8	1/40	222.26
37259	2 1/8	1/18	373.40
37260	2 5/8	1/20	1 056.00
37261	3 1/8	1/15	1 376.14
37262	4 1/8	1/3	6 352.61




<b>COUDES OUVRÉS 90° C x C (O.D.)</b>			
# BMI	Taille O.D.	Emballage	\$
37301	1/4	25/3450	64.76
37302	3/8	25/1200	43.24
37303	1/2	25/1000	39.70
37304	5/8	25/500	17.61
37313	3/4	25/300	88.54
37305	7/8	25/200	41.50
37306	1 1/8	10/100	76.02
37307	1 3/8	1/50	122.60
37308	1 5/8	1/35	195.06
37309	2 1/8	1/18	347.45
37310	2 5/8	1/10	989.32
37311	3 1/8	1/13	1 322.81
37312	4 1/8	1/2	2 812.35
37317	6 1/8	1/1	11 916.00
<b>COUDES OUVRÉS RÉDUITS 90° C x C (O.D.)</b>			
# BMI	Taille O.D.	Emballage	\$
37319	5/8 x 1/2	25/500	183.89
37323	7/8 x 5/8	25/200	66.64
37328	1 1/8 x 5/8	10/80	197.34
37327	1 1/8 x 7/8	10/80	129.97
37332	1 3/8 x 7/8	20/120	359.94




<b>COUDES OUVRÉS 90° RACCORD x C (O.D.)</b>			
# BMI	Taille O.D.	Emballage	\$
37342	3/8	25/800	72.08
37353	1/2	25/800	52.98
37354	5/8	25/500	24.17
37382	3/4	25/300	91.36
37355	7/8	25/200	44.65
37356	1 1/8	10/100	93.84
37357	1 3/8	1/50	226.67
37358	1 5/8	1/35	262.12
37359	2 1/8	1/17	444.01
37360	2 5/8	1/20	1 014.87
37361	3 1/8	1/6	1 459.67
37362	4 1/8	1/6	3 287.46


## RACCORDS DE CUIVRE ACR - RÉFRIGÉRATION




<b>COUDES LONG RAYON CxC 90° (O.D.)</b>			
# BMI	Taille O.D.	Emballage	\$
37901	1/4	25/2000	115.39
37902	3/8	25/1200	57.37
37903	1/2	25/650	68.75
37904	5/8	25/350	61.66
37913	3/4	25/200	62.48
37905	7/8	10/120	77.53
37906	1 1/8	10/70	149.99
37907	1 3/8	1/35	260.20
37908	1 5/8	1/25	401.35
37909	2 1/8	1/12	685.71



<b>COUDES LONG RAYON RAC. x 90° (O.D.)</b>			
# BMI	Taille O.D.	Emballage	\$
37951	1/4	25/2000	162.41
37952	3/8	25/1200	72.34
37953	1/2	25/750	134.57
37954	5/8	25/350	89.67
37963	3/4	25/200	106.03
37955	7/8	10/120	107.07
37956	1 1/8	10/60	173.88
37957	1 3/8	1/35	256.63
37958	1 5/8	1/25	483.14
37959	2 1/8	1/12	695.08



<b>ADAPTATEURS OUVRÉS C x MIPS (O.D.)</b>			
37803	1/2 x 3/8	25/1000	135.84
37804	5/8 x 1/2	25/600	50.50
37805	7/8 x 3/4	25/250	72.74
37806	1 1/8 x 1	10/150	158.47
37807	1 3/8 x 1 1/4	1/80	218.95
37808	1 5/8 x 1 1/2	1/65	284.25
37809	2 1/8 x 2	1/38	410.36
37810	2 5/8 x 2 1/2	1/48	1 378.93
37811	3 1/8 x 3	1/36	1 637.43
37812	4 1/8 x 4	1/12	3 591.46




<b>ADAPTATEURS OUVRÉS C x FIPS (O.D.)</b>			
37702	3/8 x 1/4	25/1500	116.53
37703	1/2 x 3/8	25/800	86.38
37704	5/8 x 1/2	25/450	59.85
37705	7/8 x 3/4	25/200	118.23
37706	1 1/8 x 1	10/140	186.55
37707	1 3/8 x 1 1/4	1/80	334.72
37708	1 5/8 x 1 1/2	1/60	367.20
37709	2 1/8 x 2	1/30	510.36
37710	2 5/8 x 2 1/2	1/24	1 706.81
37711	3 1/8 x 3	1/28	2 462.38

<b>ADAPTATEURS OUVRÉS RÉDUITS C x MIPS (O.D.)</b>			
37817	1/2 x 1/2	25/500	123.90
37826	5/8 x 1/4	25/1000	99.17
37818	5/8 x 3/8	25/800	99.17
37822	5/8 x 3/4	25/250	109.71
37821	5/8 x 1	10/150	228.81
37823	7/8 x 1/2	25/250	141.34
37827	7/8 x 1	10/150	172.53
37832	1 1/8 x 1/2	10/180	278.78
37833	1 1/8 x 3/4	10/150	272.40
37831	1 1/8 x 1 1/4	1/85	424.67
37830	1 1/8 x 1 1/2	1/95	457.63
37837	1 3/8 x 3/4	1/120	317.42
37836	1 3/8 x 1	1/120	273.92
37835	1 3/8 x 1 1/2	1/90	475.43
37840	1 5/8 x 1	1/120	624.23
37839	1 5/8 x 1 1/4	1/60	380.33
37842	1 5/8 x 2	1/55	713.79


<b>ADAPTATEURS OUVRÉS RÉDUITS C x FIPS (O.D.)</b>			
37719	5/8 x 1/4	25/800	84.05
37718	5/8 x 3/8	25/800	96.65
37717	5/8 x 3/4	25/300	127.07
37723	7/8 x 1/2	25/300	125.54
37722	7/8 x 1	10/140	202.69
37728	1 1/8 x 1/2	10/150	306.20
37727	1 1/8 x 3/4	10/150	209.47
37726	1 1/8 x 1 1/4	1/85	362.21
37734	1 3/8 x 3/4	1/120	407.57
37733	1 3/8 x 1	1/120	463.90
37732	1 3/8 x 1 1/2	1/100	487.50
37736	1 5/8 x 1 1/4	1/70	466.52
37742	1 5/8 x 2	1/60	776.19

\*\* O.D. : Diamètre extérieur


## RACCORDS DE CUIVRE ACR - RÉFRIGÉRATION



ADAPTEURS OUVRÉS RACCORD x MIPS (O.D.)			
# BMI	Taille O.D.	Emballage	\$
37884	5/8 x 1/2	25/500	112.69
37885	7/8 x 3/4	25/250	168.09
37886	1 1/8 x 1	10/130	194.41
37887	1 3/8 x 1 1/4	10/80	608.86
37888	1 5/8 x 1 1/2	1/80	691.30
37889	2 1/8 x 2	1/38	1 191.57




ADAPTEURS OUVRÉS RACCORD x FIPS (O.D.)			
# BMI	Taille O.D.	Emballage	\$
37784	5/8 x 1/2	25/500	115.60
37791	7/8 x 1/2	25/250	140.10
37785	7/8 x 3/4	25/250	133.75
37786	1 1/8 x 1	10/140	204.71
37787	1 3/8 x 1 1/4	1/85	349.57
37788	1 5/8 x 1 1/2	1/80	525.79
37789	2 1/8 x 2	1/40	669.58




**Maintenant en  
cuivre ouvré!**

UNIONS OUVRÉS C x C (O.D.)			
# BMI	Taille O.D.	Emballage	\$
37104	5/8	25/250	154.39
37105	7/8	25/100	307.93
37106	1 1/8	10/60	432.67
37107	1 3/8	5/45	641.56
37108	1 5/8	5/25	903.59
37109	2 1/8	1/24	1 460.47



CAPUCHONS OUVRÉS EN CUIVRE (O.D.)			
# BMI	Taille O.D.	Emballage	\$
37502	3/8	25/2000	16.55
37503	1/2	25/1500	24.22
37504	5/8	25/1400	10.28
37513	3/4	25/850	30.33
37505	7/8	25/500	23.88
37506	1 1/8	10/300	55.66
37507	1 3/8	1/160	77.85
37508	1 5/8	1/140	113.11
37509	2 1/8	1/60	202.69
37510	2 5/8	1/50	565.38
37511	3 1/8	1/30	770.95
37512	4 1/8	1/25	1 443.53



TÉS OUVRÉS CCC (O.D.)			
# BMI	Taille O.D.	Emballage	\$
37401	1/4	25/2000	119.24
37402	3/8	25/1300	119.24
37403	1/2	25/600	88.82
37404	5/8	25/300	32.24
37413	3/4	25/200	179.61
37405	7/8	10/120	70.38
37406	1 1/8	10/60	150.36
37407	1 3/8	1/35	215.46
37408	1 5/8	1/20	323.72
37409	2 1/8	1/10	572.19
37410	2 5/8	1/15	1 077.32
37411	3 1/8	1/10	1 930.45
37412	4 1/8	1/2	3 797.65
37414	6 1/8	1/1	16 988.05



TÉS OUVRÉS RÉDUITS CCC (O.D.)			
1/2", 5/8", 7/8"			
37417	1/2 x 1/2 x 3/8	25/600	206.06
37421	5/8 x 5/8 x 1/2	25/400	162.45
37420	5/8 x 5/8 x 7/8	10/180	113.54
37419	5/8 x 5/8 x 1 1/8	10/70	312.00
37431	7/8 x 5/8 x 5/8	10/180	90.66
37430	7/8 x 5/8 x 7/8	10/120	93.77
37429	7/8 x 7/8 x 5/8	10/170	95.59
37428	7/8 x 7/8 x 1 1/8	10/80	255.43
1 1/8"			
37450	1 1/8 x 5/8 x 5/8	10/100	215.58
37449	1 1/8 x 5/8 x 7/8	10/80	215.55
37448	1 1/8 x 5/8 x 1 1/8	10/60	204.71
37445	1 1/8 x 7/8 x 5/8	10/60	204.71
37443	1 1/8 x 7/8 x 7/8	10/60	204.71
37442	1 1/8 x 7/8 x 1 1/8	10/60	204.71
37439	1 1/8 x 1 1/8 x 5/8	10/100	150.06
37438	1 1/8 x 1 1/8 x 7/8	10/60	150.06
37437	1 1/8 x 1 1/8 x 1 3/8	1/35	379.56
37436	1 1/8 x 1 1/8 x 1 5/8	1/25	854.68
1 3/8"			
37465	1 3/8 x 5/8 x 1 3/8	1/35	367.99
37463	1 3/8 x 7/8 x 7/8	1/50	307.27
37462	1 3/8 x 7/8 x 1 1/8	1/45	326.88
37461	1 3/8 x 7/8 x 1 3/8	1/35	368.01
37460	1 3/8 x 1 1/8 x 5/8	1/60	307.27
37459	1 3/8 x 1 1/8 x 7/8	1/50	307.27
37458	1 3/8 x 1 1/8 x 1 1/8	1/50	307.27
37457	1 3/8 x 1 1/8 x 1 3/8	1/30	307.27
37455	1 3/8 x 1 3/8 x 5/8	1/50	217.32
37454	1 3/8 x 1 3/8 x 7/8	1/50	217.32
37453	1 3/8 x 1 3/8 x 1 1/8	1/40	217.32
37451	1 3/8 x 1 3/8 x 1 5/8	1/20	530.22

\*\* O.D. : Diamètre extérieur


## RACCORDS DE CUIVRE ACR - RÉFRIGÉRATION



TÉS OUVRÉS RÉDUITS CCC (O.D.)			
# BMI	Taille O.D.	Emballage	\$
<b>1 5/8"</b>			
37490	1 5/8 x 5/8 x 1 5/8	1/20	498.33
37489	1 5/8 x 7/8 x 5/8	1/40	565.36
37488	1 5/8 x 7/8 x 7/8	1/40	487.07
37487	1 5/8 x 7/8 x 1 1/8	1/40	487.07
37485	1 5/8 x 7/8 x 1 3/8	1/30	521.87
37486	1 5/8 x 7/8 x 1 5/8	1/20	487.07
37484	1 5/8 x 1 1/8 x 5/8	1/40	513.17
37483	1 5/8 x 1 1/8 x 7/8	1/30	487.07
37482	1 5/8 x 1 1/8 x 1 1/8	1/35	487.07
37481	1 5/8 x 1 1/8 x 1 3/8	1/20	500.13
37480	1 5/8 x 1 1/8 x 1 5/8	1/20	487.07
37479	1 5/8 x 1 3/8 x 5/8	1/40	487.07
37478	1 5/8 x 1 3/8 x 7/8	1/40	487.07
37477	1 5/8 x 1 3/8 x 1 1/8	1/30	487.07
37476	1 5/8 x 1 3/8 x 1 3/8	1/30	487.07
37475	1 5/8 x 1 3/8 x 1 5/8	1/20	487.07
37474	1 5/8 x 1 5/8 x 5/8	1/40	315.49
37473	1 5/8 x 1 5/8 x 7/8	1/35	300.28
37472	1 5/8 x 1 5/8 x 1 1/8	1/35	325.14
37471	1 5/8 x 1 5/8 x 1 3/8	1/25	341.15
37470	1 5/8 x 1 5/8 x 2 1/8	1/10	946.86
<b>2 1/8"</b>			
37532	2 1/8 x 5/8 x 2 1/8	1/15	947.45
37529	2 1/8 x 7/8 x 2 1/8	1/10	947.45
37527	2 1/8 x 1 1/8 x 1 1/8	1/20	1 065.94
37525	2 1/8 x 1 1/8 x 2 1/8	1/15	1 067.96
37524	2 1/8 x 1 3/8 x 1 1/8	1/20	756.95
37523	2 1/8 x 1 3/8 x 1 3/8	1/15	726.67
37522	2 1/8 x 1 3/8 x 2 1/8	1/10	854.70
37520	2 1/8 x 1 5/8 x 7/8	1/20	869.81
37519	2 1/8 x 1 5/8 x 1 1/8	1/20	692.54
37518	2 1/8 x 1 5/8 x 1 3/8	1/10	692.54
37517	2 1/8 x 1 5/8 x 1 5/8	1/10	692.54
37516	2 1/8 x 1 5/8 x 2 1/8	1/10	710.72
37498	2 1/8 x 2 1/8 x 5/8	1/20	527.10
37497	2 1/8 x 2 1/8 x 7/8	1/20	540.85
37496	2 1/8 x 2 1/8 x 1 1/8	1/18	578.93
37495	2 1/8 x 2 1/8 x 1 3/8	1/15	600.05
37491	2 1/8 x 2 1/8 x 1 5/8	1/10	623.80
<b>2 5/8"</b>			
37545	2 5/8 x 1 5/8 x 1 5/8	1/10	2 156.41
37544	2 5/8 x 1 5/8 x 2 5/8	1/20	1 794.81
37542	2 5/8 x 2 1/8 x 1 5/8	1/10	1 747.98
37541	2 5/8 x 2 1/8 x 2 1/8	1/8	1 747.98
37540	2 5/8 x 2 1/8 x 2 5/8	1/15	1 747.98
37539	2 5/8 x 2 5/8 x 5/8	1/25	1 206.12
37538	2 5/8 x 2 5/8 x 7/8	1/25	1 206.12
37537	2 5/8 x 2 5/8 x 1 1/8	1/25	1 206.12
37536	2 5/8 x 2 5/8 x 1 3/8	1/20	1 206.12
37535	2 5/8 x 2 5/8 x 1 5/8	1/20	1 206.12
37534	2 5/8 x 2 5/8 x 2 1/8	1/8	1 206.12



TÉS OUVRÉS RÉDUITS CCC (O.D.)			
# BMI	Taille O.D.	Emballage	\$
<b>3 1/8"</b>			
37560	3 1/8 x 2 1/8 x 2 1/8	1/15	2 156.41
37561	3 1/8 x 2 5/8 x 2 1/8	1/6	2 391.38
37562	3 1/8 x 2 5/8 x 2 5/8	1/15	2 391.38
37555	3 1/8 x 3 1/8 x 5/8	1/10	1 855.42
37554	3 1/8 x 3 1/8 x 7/8	1/20	1 855.42
37553	3 1/8 x 3 1/8 x 1 1/8	1/20	1 943.30
37552	3 1/8 x 3 1/8 x 1 3/8	1/15	1 943.30
37551	3 1/8 x 3 1/8 x 1 5/8	1/6	1 943.30
37550	3 1/8 x 3 1/8 x 2 1/8	1/13	1 943.30
37549	3 1/8 x 3 1/8 x 2 5/8	1/10	2 108.30
<b>4 1/8", 6 1/8"</b>			
37579	4 1/8 x 3 1/8 x 3 1/8	1/5	5 422.02
37576	4 1/8 x 4 1/8 x 7/8	1/8	4 001.68
37575	4 1/8 x 4 1/8 x 1 1/8	1/8	4 578.20
37574	4 1/8 x 4 1/8 x 1 3/8	1/8	3 798.21
37573	4 1/8 x 4 1/8 x 1 5/8	1/8	3 798.21
37572	4 1/8 x 4 1/8 x 2 1/8	1/6	3 798.21
37571	4 1/8 x 4 1/8 x 2 5/8	1/5	3 798.21
37570	4 1/8 x 4 1/8 x 3 1/8	1/2	4 061.35
37669	6 1/8 x 6 1/8 x 4 1/8	1/1	16 148.58



RACCORDS x FIPS DOUILLE À FLEUR OUVRÉS			
# BMI	Taille nominale	Emballage	\$
37169	1/2 x 1/4	25/1000	75.91
37170	1/2 x 1/8	25/1000	75.91

\*\* O.D. : Diamètre extérieur